

Historic, archived document

Do not assume content reflects current
scientific knowledge, policies, or practices.


aSB249
.A3

ENTERED IN THE COMPUTER

COTTON VARIETIES PLANTED 1965 - 1969

LIBRARY
PLANT VARIETY PROTECTION OFFICE
U. S. DEPARTMENT OF AGRICULTURE

AUG 18 204



UNITED STATES DEPARTMENT OF AGRICULTURE
Consumer and Marketing Service Cotton Division
Memphis, Tennessee

July 1969

CONTENTS

<u>Table No.</u>		<u>Page</u>	<u>No.</u>
	Introduction	1	
	Leading Varieties.	1	
	Map of Smith-Doxey Classing Office Territories	2	
1.	Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1968-69	3	
2.	Varieties by states		
	Virginia, North Carolina, South Carolina, Georgia.	4	
	Florida, Alabama, Mississippi, Illinois.	5	
	Kentucky, Tennessee, Missouri, Arkansas.	6	
	Louisiana, Oklahoma, Texas, New Mexico	7	
	Arizona, Nevada, California.	8	
3.	Raleigh Classing Office, varieties by counties	9	
4.	Columbia Classing Office, varieties by counties.	10	
5.	Augusta Classing Office, varieties by counties	11	
6.	Atlanta Classing Office, varieties by counties	11	
7.	Birmingham Classing Office, varieties by counties.	12	
8.	Montgomery Classing Office, varieties by counties.	13	
9.	Greenwood Classing Office, varieties by counties	14	
10.	Jackson Classing Office, varieties by counties	14	
11.	Memphis Classing Office, varieties by counties	15	
12.	Hayti Classing Office, varieties by counties	16	
13.	Blytheville Classing Office, varieties by counties	16	
14.	Little Rock Classing Office, varieties by counties	17	
15.	Winnsboro Classing Office, varieties by counties	18	
16.	Alexandria Classing Office, varieties by counties.	18	
17.	Altus Classing Office, varieties by counties	19	
18.	Dallas Classing Office, varieties by counties.	20	
19.	Austin Classing Office, varieties by counties.	21	
20.	Corpus Christi Classing Office, varieties by counties.	21	
21.	Harlingen Classing Office, varieties by counties	22	
22.	Abilene Classing Office, varieties by counties	22	
23.	Lubbock Classing Office, varieties by counties	23	
24.	El Paso Classing Office, varieties by counties	24	
25.	Carlsbad Classing Office, varieties by counties.	24	
26.	Phoenix Classing Office, varieties by counties	25	
27.	Fresno Classing Office, varieties by counties.	25	
28.	Bakersfield Classing Office, varieties by counties	26	
29.	El Centro Classing Office, varieties by counties	26	
30.	Estimated percentage of American Egyptian cotton acreage planted to specified varieties, by states, 1965-1969.	27	
31.	Estimated percentage of American Egyptian cotton acreage planted to specified varieties, by classing office territories, crop of 1969.	28	

Cotton Varieties Planted, United States
1965-1969

Estimates of the percentages of the various varieties of cotton planted in the United States in 1969, by counties, Smith-Doxey cotton classing office territories and states are presented in this report. Comparative variety data for the four years 1965-1968 are shown by states. A preliminary report containing percentage distributions of cotton varieties planted by counties and cotton classing office territories in the early harvesting sections of south Texas was published in mid-June.

The variety data presented herein are based primarily on estimates furnished by cotton ginner for the territories served by their gins. Supplemental information is obtained from others closely related with cotton farming in their respective areas, such as seed breeders, seed dealers, farmers and county agents. These estimates should serve as reliable guides as to the geographic distribution of various varieties grown throughout the Cotton Belt.

Four leading varieties - Deltapine, Stoneville, Acala and Lankart - account for 71 percent of the total cotton acreage planted in the United States. A percentage distribution of the six leading general varieties planted in 1969, with comparisons for the four preceding years, is shown at the foot of this page. All strains of each particular variety are combined for the purpose of this comparison.

Deltapine regained first place among the leading varieties planted in the United States this season. Twenty-six percent of the total 1969 acreage was planted to Deltapine compared with 19 percent a year earlier. The sharp increase in acreage planted to this variety is due mainly to increased popularity of the Deltapine 16 strain which comprises 23 percent of the total United States cotton acreage this year. Deltapine is the principal variety planted in Arizona, Louisiana, Mississippi and Tennessee.

Acala and Stoneville are the next two leading varieties, each accounting for 17 percent of total United States planted acreage. A year earlier, each of these varieties accounted for 21 percent of the total acreage. Acala SJ-1, the most popular Acala strain, accounts for 13 percent of all cotton planted this season. The predominating Stoneville strain, Stoneville 213, also comprises 13 percent of the total. Stoneville is the leading variety planted in Arkansas and Missouri and Acala continues to be the chief variety planted in California and New Mexico.

Lankart maintains its position as the fourth leading variety for the third consecutive year. The acreage planted to this variety is estimated at 11 percent of the total compared with nine percent last year. Lankart 57, the most popular Lankart strain, comprises eight percent of this year's total planted acreage. Lankart continues to be the top choice of growers in Oklahoma and Texas, maintaining its perennial position of leadership.

The next two leading varieties, Coker and Paymaster, each account for six percent of the total United States planted acreage. Estimates indicate that acreages planted to both of these varieties are down slightly from the previous year. Coker 201 has replaced Coker 413 as the leading Coker strain while Paymaster 111 continues to be the leading Paymaster strain. Coker is the principal variety grown in Georgia, North Carolina and South Carolina. Growers in Oklahoma, Texas and ~~west~~ ^{EAST} ern New Mexico plant a fairly sizable acreage to Paymaster and this is the second leading variety in Texas in 1969.

Pima S-4 remains the leading strain of American Egyptian cotton and represents 58 percent of the extra long staple acreage in the United States this year. Pima S-4 is the predominating American Egyptian strain in Arizona and California. Pima S-3 replaces Pima S-2 as the leader in New Mexico. Pima S-2 continues to be the principal strain of American Egyptian cotton planted in Texas.

Estimated percentage of cotton acreage planted to specified varieties, United States, 1965-1969

Year	Acala	Coker	Delta- pine	Lankart	Pay- master	Stone- ville	Other 1/	Total
	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1965	14	4	22	11	2	18	29	100
1966	13	2	19	13	4	20	29	100
1967	17	5	17	14	5	20	22	100
1968	21	8	19	9	7	21	15	100
1969	17	6	26	11	6	17	17	100

1/ Includes small acreages planted to varieties other than those specified.

(July 17, 1969)

UNITED STATES

Smith-Doxey Cotton Classing Office Territories




Table 1. Average fiber test results for varieties of cotton grown commercially in the United States, crop of 1968-69 1/

Variety	Sampling offices	Lots tested	Staple length	Micro- naire <u>2/</u>	Fiber strength <u>3/</u>		Fibrograph <u>4/</u>	
					0-gage	1/8"-gage	2.5% Span length	50/2.5% uniformity
	<u>No.</u>	<u>No.</u>	<u>32d in.</u>	<u>Rdg.</u>	<u>Mps1</u>	<u>G/tex</u>	<u>In.</u>	<u>Pct.</u>
Paymaster 101A	1	3	30	2.7	80	21.9	0.98	44
Sweatt 75	1	3	30	4.8	83	20.3	0.94	46
Western Stormproof	1	3	30	4.6	85	21.0	0.91	47
Lankart 611	2	6	31	4.6	80	20.3	0.96	46
Lankart 57	9	27	31	4.5	79	20.4	0.95	45
Paymaster 202	2	6	31	3.8	84	22.3	0.94	46
Lockett 4789	5	16	32	4.8	88	22.5	0.99	46
Paymaster 111	5	15	32	3.5	82	22.3	1.01	45
Watson GL 16	1	3	32	4.4	87	21.9	1.01	45
Dixie King	1	2	33	4.4	87	22.3	1.04	46
Lankart 3840	1	4	33	5.0	87	22.7	1.02	46
Lockett 4789A	1	3	33	3.3	83	21.9	1.03	44
McNair 1032	1	4	33	4.7	90	22.0	1.02	46
Atlas	2	6	34	4.5	96	25.5	1.03	46
Auburn M	2	7	34	4.1	85	22.1	1.05	46
Carolina Queen	3	8	34	4.5	86	22.3	1.06	46
Coker 201	4	13	34	4.6	87	23.2	1.07	46
Dixie King II	3	10	34	4.4	86	21.4	1.04	45
Deltapine Smooth Leaf	15	48	34	4.4	83	22.7	1.09	45
Deltapine 15A	1	4	34	4.4	83	24.2	1.09	46
Deltapine 45	1	3	34	4.6	78	22.0	1.08	46
Dunn 56C	2	7	34	4.4	94	26.0	1.07	47
Lambright X-15-3	1	3	34	3.5	85	22.6	1.11	42
McNair 1032B	1	4	34	3.8	87	23.3	1.03	45
Rex Smooth Leaf	1	3	34	4.9	90	21.3	1.04	46
Stoneville 7A	6	19	34	4.5	87	22.4	1.10	45
Stoneville 213	15	49	34	4.5	83	22.5	1.08	46
TH 149	1	3	34	4.6	95	26.5	1.05	48
TPSA 110	2	6	34	4.3	89	21.9	1.09	44
Coker 413	12	40	35	4.1	90	24.2	1.11	45
Deltapine 16	9	28	35	4.5	83	23.4	1.11	44
Deltapine 45A	3	10	35	4.4	83	23.8	1.10	46
Acala 4-42	2	6	36	4.1	91	26.0	1.09	46
Acala SJ-1	10	30	36	4.4	95	26.1	1.13	46
Hopicala	1	3	36	4.1	102	28.7	1.13	47
Stoneville 508	2	7	36	3.7	85	24.5	1.14	44
Acala 1517 BR2	3	9	37	3.5	93	27.8	1.16	45
Acala 1517C	3	9	37	3.5	88	26.0	1.15	44
Acala 1517V	2	5	37	3.3	90	26.5	1.18	44
Acala 1517D	1	3	38	3.8	91	26.8	1.18	46

1/ Compiled from "Summary of Cotton Fiber and Spinning Test Results, Crop of 1968", USDA, C&MS, Cotton Division, April 1969.

2/ Micronaire reading is a measure of fiber fineness and maturity. This test measures resistance of a plug of cotton to air flow.

3/ Fiber strength indicates ability of cotton fibers to withstand force or tension, and has a strong bearing on spinning utility. "0" gage fiber strength test made without a spacer between clamp jaws using Pressley flat bundle tester. 1/8" gage strength test made with 1/8" spacer between clamp jaws using Stelometer and results are adjusted to the Pressley level.

4/ Digital Fibrograph 2.5% span length indicates length spanned by 2.5 percent of the fibers when they are parallel and randomly distributed. This measure is closely related to staple length designations. Digital Fibrograph 50/2.5 uniformity ratio values indicate relative uniformity of fiber length in samples.

Table 2. Estimated percentage of cotton acreage planted to specified varieties, by states, 1965-1969

Virginia

Season beginning August 1	Ginnings	Atlas	Carolina Queen	Coker 100	Coker 201	Coker 413	McNair 1032	Rex	Other 1/	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1965	6,481	-	23	55	-	-	-	17	5	100
1966	2,215	-	41	36	-	-	5	16	2	100
1967	148	-	65	12	10	4	6	2	1	100
1968	2,600	-	8	-	61	3	28	-	-	100
1969	-	3	3	2	88	4	-	-	-	100

North Carolina

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 413	McNair 1032	Rex	TH 149	Other 1/	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1965	235,760	46	32	-	-	2	18	-	2	100
1966	100,846	43	17	-	4	29	6	-	1	100
1967	47,780	31	5	17	24	19	1	-	3	100
1968	130,347	4	4	40	25	26	-	-	1	100
1969	-	3	2	51	11	20	4	8	1	100

South Carolina

Season beginning August 1	Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 413	Coker 417	McNair 1032	TH 149	Other 1/	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1965	507,187	65	30	-	*	-	-	-	5	100
1966	289,233	80	13	-	2	-	4	-	1	100
1967	184,207	44	7	9	38	-	2	-	*	100
1968	263,962	7	1	36	55	-	1	-	*	100
1969	-	3	*	73	19	1	1	1	2	100

Georgia

Season beginning August 1	Ginnings	Atlas	Carolina Queen	Coker 100	Coker 201	Coker 413	Dixie King	McNair 1032	Other 1/	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1965	561,553	-	53	25	-	-	8	-	14	100
1966	316,886	-	69	15	-	-	5	1	10	100
1967	229,249	1	56	11	*	20	5	2	5	100
1968	268,411	21	8	*	6	63	1	1	*	100
1969	-	3	10	2	47	20	4	7	7	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 2. Estimated percentage of cotton acreage planted to specified varieties, by states, 1965-1969 (Continued)

Florida

Season beginning August 1	Ginnings	Auburn	Carolina Queen	Coker 100	Coker 201	Coker 413	McNair 1032	Wannamaker All-in-one	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1965	12,185	12	37	35	-	-	-	2	14	100
1966	8,490	4	75	15	-	-	-	-	6	100
1967	7,178	1	49	16	-	10	9	7	8	100
1968	10,267	*	4	4	26	46	15	5	*	100
1969	-	4	7	11	12	21	23	13	9	100

Alabama

Season beginning August 1	Ginnings	Carolina Queen	Coker 201	Coker 413	Delta-pine 16	Dixie King	McNair 1032	Stone-ville 213	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1965	849,077	23	-	-	-	27	-	3	47	100
1966	463,192	30	-	-	-	28	1	6	35	100
1967	201,928	28	*	10	-	23	5	6	28	100
1968	402,065	10	4	56	*	8	9	4	9	100
1969	-	3	10	11	19	21	7	12	17	100

Mississippi

Season beginning August 1	Ginnings	Coker 413	Delta-pine 15A	Delta-pine 16	Delta-pine 45A	Delta-pine Smooth Leaf	Stone-ville 7A	Stone-ville 213	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1965	2,019,494	-	-	-	-	51	3	36	10	100
1966	1,352,742	-	-	-	-	44	3	45	8	100
1967	1,062,014	2	2	-	3	36	4	48	5	100
1968	1,519,067	4	2	12	2	29	3	44	4	100
1969	-	1	-	56	2	3	1	35	2	100

Illinois

Season beginning August 1	Ginnings	Auburn	Delta-pine	Fox	Rex	Stone-ville 213	Other 1/	---	---	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1965	1,221	1	9	28	28	34	-	-	-	100
1966	176	-	32	30	8	30	-	-	-	100
1967	-	-	-	70	-	30	-	-	-	100
1968	64	-	-	15	-	85	-	-	-	100
1969	-	-	-	9	-	86	5	-	-	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 2. Estimated percentage of cotton acreage planted to specified varieties, by states, 1965-1969 (Continued)

Kentucky

Season beginning August 1	Ginnings	Delta-pine 16	Delta-pine 45	Delta-pine 45A	Deltapine Smooth Leaf	Fox	Rex Smooth Leaf	Stone-ville 213	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1965	5,089	-	9	-	40	4	36	5	6	100
1966	1,374	-	24	-	42	3	20	8	3	100
1967	212	-	14	-	38	4	5	38	1	100
1968	1,686	-	-	8	50	-	2	40	-	100
1969	-	55	5	-	-	-	10	30	-	100

Tennessee

Season beginning August 1	Ginnings	Auburn M	Coker 413	Delta-pine 16	Deltapine Smooth Leaf	Dixie King	Rex	Stone-ville 213	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1965	626,913	4	-	-	28	27	7	13	21	100
1966	363,372	2	-	-	24	34	6	15	19	100
1967	146,130	4	4	-	22	35	6	16	13	100
1968	322,600	7	8	3	25	18	2	27	10	100
1969	-	8	1	32	6	26	4	16	7	100

Missouri

Season beginning August 1	Ginnings	Auburn M	Delta-pine 16	Delta-pine 45A	Deltapine Smooth Leaf	Rex	Stone-ville 7A	Stone-ville 213	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1965	393,091	5	-	-	11	19	9	43	13	100
1966	164,573	5	-	-	5	21	14	38	17	100
1967	60,088	8	-	8	3	9	18	43	11	100
1968	197,045	15	1	11	*	4	9	54	6	100
1969	-	8	22	3	1	7	7	48	4	100

Arkansas

Season beginning August 1	Ginnings	Delfos	Delta-pine 16	Delta-pine 45A	Deltapine Smooth Leaf	Rex	Stone-ville 7A	Stone-ville 213	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1965	1,445,430	7	-	-	21	17	15	33	7	100
1966	763,896	5	-	-	19	12	18	36	10	100
1967	503,251	4	-	2	18	7	18	38	13	100
1968	1,032,525	2	5	8	14	4	11	49	7	100
1969	-	1	33	6	*	3	12	40	5	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 2. Estimated percentage of cotton acreage planted to specified varieties, by states, 1965-1969 (Continued)

Louisiana

Season beginning August 1	Ginnings	Carolina Queen	Coker 413	Delta-pine 16	Delta-pine 45A	Deltapine Smooth Leaf	Stone-ville 7A	Stone-ville 213	Other 1/	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1965	558,890	1	-	-	-	53	8	27	11	100
1966	448,766	1	-	-	-	50	7	32	10	100
1967	429,983	-	2	-	6	49	5	32	6	100
1968	544,746	*	3	8	10	36	4	36	3	100
1969	-	-	-	49	10	4	2	34	1	100

Oklahoma

Season beginning August 1	Ginnings	Delta-pine 16	Deltapine Smooth Leaf	Lankart	Lockett	Pay-master	Stone-ville	West-burn	Other 1/	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1965	357,739	-	2	59	2	2	3	-	32	100
1966	210,952	-	8	64	4	2	3	-	19	100
1967	189,596	-	8	68	5	6	3	1	9	100
1968	259,899	*	6	49	12	8	5	4	16	100
1969	-	6	1	73	5	6	3	3	3	100

Texas

Season beginning August 1	Ginnings	Acala	Dunn 56C	Lankart	Lockett	Pay-master	Stone-ville	Western Storm-proof	Other 1/	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1965	4,602,290	5	-	36	2	9	12	6	30	100
1966	3,125,486	4	-	37	3	12	12	8	24	100
1967	2,694,646	6	-	38	3	15	14	6	18	100
1968	3,446,138	13	3	20	7	20	17	2	18	100
1969	-	7	7	28	7	18	10	4	19	100

New Mexico

Season beginning August 1	Ginnings	Acala 1517BR	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517 Stroman	Hopicala	Pay-master	Other 1/	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
1965	205,660	17	33	36	1	1	-	2	10	100
1966	157,639	7	17	36	19	5	-	1	15	100
1967	138,420	12	34	18	22	3	1	1	9	100
1968	158,372	14	14	22	34	4	5	2	5	100
1969	-	9	15	12	43	1	6	4	10	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 2. Estimated percentage of cotton acreage planted to specified varieties, by states, 1965-1969 (Continued)

Arizona

Season beginning August 1	Ginnings	Acala 1517C	Acala 1517D	Del Cerro	Delta-pine 16	Deltapine Smooth Leaf	Hopicala	Stone-ville	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1965	738,649	4	3	*	-	69	1	5	18	100
1966	475,828	3	3	*	-	77	3	6	8	100
1967	415,360	3	3	1	-	65	8	4	16	100
1968	680,880	2	4	1	70	7	7	5	4	100
1969	-	1	3	2	87	2	2	2	1	100

Nevada

Season beginning August 1	Ginnings	Acala 4-42	Acala 1517C	Acala 1517D	Acala 1517V	Acala SJ-1	Hopicala	Stone-ville 213	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1965	3,806	1	93	6	-	-	*	-	*	100
1966	3,534	1	66	24	7	-	2	-	-	100
1967	3,950	-	17	26	57	-	-	-	-	100
1968	4,115	-	8	7	73	12	-	-	-	100
1969	-	-	6	1	25	65	-	3	-	100

California

Season beginning August 1	Ginnings	Acala 4-42	Acala SJ-1	Imperial Acala	Del Cerro	Delta-pine 16	Deltapine Smooth Leaf	Stone-ville	Other 1/	Total
	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
1965	1,716,777	87	-	-	*	-	12	1	-	100
1966	1,241,997	86	-	-	1	-	9	1	3	100
1967	1,056,153	3	87	4	*	1	5	*	*	100
1968	1,593,595	4	87	*	-	7	1	1	*	100
1969	-	3	86	*	-	10	1	*	-	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 3. Raleigh Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Carolina Queen	Coker 100A	Coker 201	Coker 413	McNair 1032	Rex	TH 149	Other 1/	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>North Carolina:</u>											
Anson	5	4,648	7	2	68	2	11	-	10	-	100
Cleveland	13	6,745	1	-	90	-	-	-	3	6	100
Edgecombe	5	3,925	10	6	28	22	32	-	2	-	100
Franklin	5	1,028	31	36	5	-	28	-	-	-	100
Halifax	11	16,271	-	-	53	24	23	-	-	-	100
Harnett	5	5,162	-	-	66	29	5	-	-	-	100
Iredell	4	341	-	-	73	6	-	-	-	21	100
Johnston	3	1,292	20	11	4	3	29	-	33	-	100
Nash	8	4,356	5	-	47	3	17	4	23	1	100
Northampton	12	14,133	-	4	35	2	4	36	11	8	100
Pitt	3	1,629	-	-	35	-	11	-	54	-	100
Robeson	15	24,310	-	-	60	8	28	-	4	-	100
Rowan	3	915	18	-	78	-	4	-	-	-	100
Rutherford	3	720	4	-	80	4	-	2	-	10	100
Sampson	6	7,355	-	-	65	11	5	-	17	2	100
Scotland	7	17,680	4	-	43	-	49	-	4	-	100
Union	5	1,937	3	2	46	4	6	-	39	-	100
Warren	3	1,259	27	46	-	-	27	-	-	-	100
Wilson	6	1,227	-	-	1	79	20	-	-	-	100
All other	19	15,414	2	-	50	20	12	1	12	3	100
Total	141	130,347	3	2	51	11	20	4	8	1	100
<u>Virginia:</u>											
Total	8	2,600	3	2	88	4	-	-	-	3	100
Classing Office Total	149	132,947	3	2	52	10	20	4	8	1	100

1/ Includes small acreages planted to varieties other than those specified.

Table 4. Columbia Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Carolina Queen	Coker 201	Coker 413	Coker 417	Coker 4104	McNair 1032	TH 149	Other 1/	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>South Carolina:</u>											
Abbeville	3	2,825	-	53	47	-	-	-	-	-	100
Aiken	6	4,943	-	76	16	-	-	5	3	-	100
Anderson	9	4,196	-	64	13	19	-	-	-	4	100
Bamberg	4	8,998	1	79	20	-	-	-	-	-	100
Barnwell	4	4,210	2	88	6	-	-	3	-	1	100
Calhoun	6	8,560	-	99	-	-	-	1	-	-	100
Cherokee	3	2,007	14	86	-	-	-	-	-	-	100
Chester	3	1,789	6	90	-	4	-	-	-	-	100
Chesterfield	3	5,290	2	93	5	-	-	-	-	-	100
Clarendon	12	19,450	-	63	19	-	-	3	15	-	100
Darlington	7	17,435	-	62	36	-	-	1	1	-	100
Dillon	9	14,265	-	45	55	-	-	-	-	-	100
Dorchester	3	3,042	-	96	4	-	-	-	-	-	100
Edgefield	4	2,993	1	75	-	-	-	-	-	24	100
Florence	10	14,339	-	81	18	-	-	1	-	-	100
Hampton	5	3,898	-	88	12	-	-	-	-	-	100
Lancaster	3	1,226	1	45	1	53	-	-	-	-	100
Laurens	6	1,696	18	75	3	-	-	-	-	4	100
Lee	14	31,492	-	65	34	-	-	1	-	-	100
Lexington	4	3,585	1	67	10	21	-	-	-	1	100
Marion	4	4,318	-	70	30	-	-	-	-	-	100
Marlboro	13	23,330	4	76	16	-	-	4	-	-	100
Newberry	3	416	-	100	-	-	-	-	-	-	100
Orangeburg	26	31,042	-	95	5	-	-	-	-	-	100
Spartanburg	5	2,162	51	38	6	-	-	-	-	5	100
Sumter	15	26,309	-	77	21	-	-	1	-	1	100
Williamsburg	7	6,806	19	58	16	-	-	7	-	-	100
York	3	3,409	42	23	-	-	34	-	-	1	100
All other	18	9,931	18	65	6	9	-	2	-	-	100
Classing Office Total	212	263,962	3	73	19	1	*	1	1	2	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 5. Augusta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Atlas	Carolina Queen	Coker 100A	Coker 201	Coker 413	Dixie King II	McNair 1032B	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Georgia:</u>											
Bulloch	4	4,265	-	23	-	45	-	-	32	-	100
Burke	13	17,190	2	2	-	80	7	-	7	2	100
Emanuel	4	5,621	2	62	1	32	-	-	2	1	100
Jefferson	8	8,456	-	23	-	44	19	10	4	-	100
Johnson	3	4,327	-	-	6	84	-	-	10	-	100
Laurens	7	10,928	3	21	2	55	7	2	8	2	100
Morgan 2/	5	5,247	14	-	-	23	5	58	-	-	100
Screven	5	5,073	8	-	-	61	14	-	14	3	100
Toombs	4	4,520	-	13	2	47	2	2	25	9	100
Washington	5	6,725	18	28	-	49	5	-	-	-	100
All other	21	17,551	4	14	1	63	8	1	9	-	100
Classing Office Total	79	89,903	4	16	1	57	7	5	9	1	100

1/ Includes small acreages planted to varieties other than those specified.

2/ Includes the portion of the county served by Atlanta Classing Office.

Table 6. Atlanta Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Atlas	Carolina Queen	Coker 201	Coker 413	Dixie King II	Empire	McNair 1032B	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Georgia:</u>											
Bartow	7	7,254	33	12	10	1	18	24	-	2	100
Bleckley	3	4,028	-	-	84	15	-	-	-	1	100
Brooks	3	662	-	10	28	59	-	-	-	3	100
Calhoun	3	4,033	-	-	29	66	-	-	3	2	100
Colquitt	8	17,886	1	-	73	16	-	-	5	5	100
Crisp	4	8,641	-	-	37	20	-	-	41	2	100
Dodge	3	3,025	-	28	68	-	-	-	4	-	100
Dooly	11	23,400	-	-	20	79	-	-	-	1	100
Floyd	4	1,580	-	-	55	-	19	26	-	-	100
Gordon	3	2,304	5	-	15	-	21	59	-	-	100
Hart	4	3,005	-	23	23	46	8	-	-	-	100
Macon	4	6,324	-	-	27	50	-	-	6	17	100
Meriwether	3	1,539	-	-	3	5	38	-	-	54	100
Mitchell	4	4,277	-	-	84	11	-	-	3	2	100
Morgan 2/	-	-	-	-	-	-	-	-	-	-	-
Pulaski	3	6,541	5	-	70	5	-	-	10	10	100
Sumter	5	7,626	-	32	48	20	-	-	-	-	100
Taylor	7	6,652	-	-	56	6	34	-	-	4	100
Terrell	5	6,942	7	3	22	14	5	-	1	48	100
Tift	3	3,456	-	55	25	-	-	-	9	11	100
Turner	3	4,435	-	-	57	-	-	-	28	15	100
Walton	5	3,636	-	3	88	7	-	-	-	2	100
Wilcox	4	4,329	-	18	58	5	8	-	2	9	100
Worth	4	4,809	-	-	54	5	5	-	28	8	100
All other	42	42,124	2	14	35	24	3	3	3	16	100
Total	145	178,508	2	8	42	26	4	3	6	9	100
<u>Florida:</u>											
Total	1	129	-	-	25	60	-	-	-	15	100
Classing Office Total	146	178,637	2	8	42	26	4	3	6	9	100

1/ Includes small acreages planted to varieties other than those specified.

2/ Data for Morgan County shown in Table 5, Augusta Classing Office.

Table 7. Birmingham Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Carolina Queen	Coker 201	Delta-pine 16	Dixie King II	Empire	Rex Smooth Leaf	Stone-ville 213	Other ^{1/}	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Alabama:</u>											
Cherokee	12	21,472	4	13	4	59	12	-	4	4	100
Colbert	6	13,781	-	-	11	-	-	-	37	52	100
Cullman	18	9,430	13	-	1	64	4	12	1	5	100
DeKalb	17	11,758	-	27	-	71	2	-	-	-	100
Etowah	4	3,118	11	-	-	79	-	-	-	10	100
Franklin	4	4,838	-	5	5	10	-	5	75	-	100
Jackson	8	6,923	-	-	7	9	73	-	7	4	100
Lamar	4	5,254	-	9	41	20	-	15	-	15	100
Lauderdale	10	13,535	6	-	31	16	12	-	21	14	100
Lawrence	14	22,025	-	-	18	19	6	8	41	8	100
Limestone	19	36,620	-	-	50	4	1	9	32	4	100
Madison	20	31,410	-	-	30	11	15	24	17	3	100
Marion	4	3,990	-	10	8	28	-	10	5	39	100
Marshall	14	11,261	-	1	-	62	-	-	31	6	100
Morgan	12	10,681	-	-	47	15	23	-	15	-	100
Pickens	4	7,528	-	-	60	40	-	-	-	-	100
Shelby	3	5,705	-	-	85	-	-	-	-	15	100
Tuscaloosa	5	8,106	2	28	33	21	-	-	-	16	100
All other	15	18,019	15	-	12	45	-	17	2	9	100
Classing Office Total	193	245,454	3	4	25	26	8	8	18	8	100

^{1/} Includes small acreages planted to varieties other than those specified.

Table 8. Montgomery Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Carolina Queen	Coker 100	Coker 201	Coker 413	Delta- pine 16	Dixie King II	McNair 1032B	Other 1/	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Alabama:</u>											
Autauga	4	8,794	-	-	2	96	-	-	-	2	100
Barbour	4	2,917	1	1	26	17	15	4	36	-	100
Butler	3	2,861	17	-	21	2	13	9	30	8	100
Conecuh	4	5,089	5	35	11	6	5	8	30	-	100
Covington	3	4,260	8	22	16	10	9	24	10	1	100
Crenshaw	4	2,453	23	12	32	4	5	5	19	-	100
Dallas	9	16,227	-	-	38	30	2	3	24	3	100
Elmore	5	12,286	4	14	1	49	10	2	20	-	100
Escambia	3	7,263	-	10	38	16	27	2	7	-	100
Geneva	5	7,501	18	16	31	4	-	19	6	6	100
Greene	3	5,980	3	-	5	22	30	18	14	8	100
Hale	6	8,435	4	1	17	17	12	38	10	1	100
Houston	7	4,160	7	2	29	7	3	39	8	5	100
Lowndes	4	3,213	-	-	47	8	-	-	-	45	100
Macon	4	7,824	1	-	1	24	21	-	32	21	100
Marengo	3	6,589	-	23	19	8	31	2	3	14	100
Monroe	3	10,023	-	26	38	9	4	-	23	-	100
Montgomery	4	3,947	-	-	4	27	-	-	67	2	100
Perry	3	3,708	23	-	4	17	36	9	10	1	100
Pike	3	917	46	-	-	15	16	4	19	-	100
Russell	4	5,300	-	-	20	19	24	22	11	4	100
Sumter	4	3,057	3	1	14	55	14	12	1	-	100
Wilcox	4	4,658	9	7	22	16	6	18	22	-	100
All other	15	19,149	6	4	15	14	6	23	23	9	100
Total	111	156,611	5	8	19	23	11	11	18	5	100
<u>Florida:</u>											
Total	4	10,138	7	11	12	20	6	1	23	20	100
Classing Office Total	115	166,749	5	8	19	23	10	11	18	6	100

1/ Includes small acreages planted to varieties other than those specified.

Table 9. Greenwood Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Coker 201	Coker 413	Delta-pine 16	Delta-pine 45A	Delta-pine Sm. Lf.	Stoneville 7A	Stoneville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Mississippi:</u>											
Bolivar	46	158,890	-	*	75	-	3	2	19	1	100
Carroll	3	8,484	-	-	75	-	1	-	24	-	100
Coahoma	41	138,011	-	-	31	1	*	12	56	-	100
De Soto 2/	5	14,947	-	-	85	7	-	-	2	6	100
Holmes	19	54,945	-	-	72	-	13	-	15	-	100
Humphreys	15	59,117	-	-	35	-	2	-	63	-	100
Issaquena	3	9,937	-	-	72	-	-	-	25	3	100
Leflore	28	97,073	-	-	58	2	2	-	38	-	100
Madison 3/	3	10,092	-	4	36	-	2	-	54	4	100
Panola 2/	8	19,316	-	-	35	-	-	-	64	1	100
Quitman	19	62,091	-	-	45	-	-	-	55	-	100
Sharkey	13	46,902	-	-	89	-	-	-	8	3	100
Sunflower	36	168,173	1	-	48	8	2	-	40	1	100
Tallahatchie	22	66,193	-	-	66	-	3	-	31	-	100
Tunica	17	46,562	1	1	59	25	-	-	14	*	100
Washington	38	140,223	-	-	64	-	-	-	35	1	100
Yazoo	13	63,618	-	-	86	-	1	-	13	-	100
All other	5	11,608	-	-	56	-	23	*	21	-	100
Classing Office Total	334	1,176,182	*	*	58	3	2	2	34	1	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Memphis Classing Office.

3/ A portion of this county is served by Jackson Classing Office.

* Less than 0.5 percent.

Table 10. Jackson Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Carolina Queen	Coker 100W	Coker 201	Coker 413	Delta-pine 16	Delta-pine Sm. Lf.	Stoneville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Mississippi:</u>											
Amite	3	1,027	-	-	-	-	40	12	48	-	100
Attala	5	6,760	-	-	-	-	77	-	23	-	100
Clay	4	2,947	-	-	-	-	78	-	22	-	100
Copiah	4	4,660	-	-	-	-	57	20	23	-	100
Hinds	7	16,139	-	-	-	1	68	-	31	-	100
Jefferson Davis	4	5,121	19	-	-	23	35	9	14	-	100
Leake	4	7,939	-	-	25	-	44	18	13	-	100
Lowndes	5	7,380	-	-	9	14	63	2	12	-	100
Madison 2/	6	21,487	-	-	-	5	26	-	69	-	100
Marion	3	1,780	20	-	7	5	40	20	8	-	100
Montgomery 3/	3	4,176	-	-	-	-	59	5	36	-	100
Noxubee	4	6,786	-	-	-	-	70	20	10	-	100
Scott	3	6,726	-	-	-	-	89	9	2	-	100
Walthall	3	1,273	-	-	26	-	18	32	24	-	100
Webster	4	5,662	-	-	-	-	30	15	55	-	100
Winston	4	7,760	-	-	5	-	60	-	35	-	100
All other	25	35,610	3	3	6	15	31	15	25	2	100
Total	91	143,233	2	1	4	6	47	9	31	*	100
<u>Louisiana:</u>											
Total	3	570	-	-	-	-	-	50	50	-	100

Classing Office Total	94	143,803	2	1	4	6	47	9	31	*	100
-----------------------	----	---------	---	---	---	---	----	---	----	---	-----

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Greenwood Classing Office.

3/ A portion of this county is served by Greenwood Classing Office and is included in the data for "all other."

* Less than 0.5 percent.

Table 11. Memphis Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Auburn M	Delta-pine 16	Delta-pine Sm. Lf.	Dixie King II	Empire	Rex Smooth Leaf	Stoneville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Tennessee:</u>											
Carroll	11	10,203	9	33	1	41	12	-	2	2	100
Chester	5	5,292	-	62	3	30	-	4	-	1	100
Crockett	12	27,923	1	34	9	36	-	-	17	3	100
Dyer	14	21,772	8	17	1	10	-	5	49	10	100
Fayette	13	22,634	20	33	8	5	-	2	20	12	100
Gibson	20	34,152	16	36	*	14	9	-	16	9	100
Giles	4	836	-	-	23	31	8	30	-	8	100
Hardeman	10	13,749	-	50	-	21	-	1	25	3	100
Hardin	3	1,901	7	17	-	50	-	-	-	26	100
Haywood	18	28,292	4	35	8	37	-	-	11	5	100
Henderson	8	5,174	1	3	-	48	1	39	5	3	100
Lake	9	18,335	-	81	2	-	-	1	16	*	100
Lauderdale	14	32,252	9	27	11	24	-	*	26	3	100
Lawrence	6	6,324	1	-	-	41	4	24	29	1	100
Lincoln	5	5,962	-	4	-	23	13	37	3	20	100
McNairy	10	6,933	1	15	6	61	-	5	-	12	100
Madison	14	20,353	3	47	9	27	4	-	2	8	100
Obion	5	4,314	11	12	3	43	-	-	12	19	100
Shelby	15	18,676	18	9	11	31	-	15	14	2	100
Tipton	17	31,166	6	30	14	43	-	2	1	4	100
Weakley	4	2,562	50	18	-	12	8	-	12	-	100
All other	8	3,795	6	7	3	35	15	12	17	5	100
Total	225	322,600	8	32	6	26	2	4	16	6	100
<u>Illinois:</u>											
Total	1	64	-	-	-	-	-	-	86	14	100
<u>Kentucky:</u>											
Total	1	1,686	-	55	-	-	-	10	30	5	100
<u>Arkansas:</u>											
Crittenden	35	67,083	-	26	-	-	-	13	48	13	100
All other	1	2,002	-	25	-	-	-	-	25	50	100
Total	36	69,085	-	26	-	-	-	13	47	14	100
<u>Mississippi:</u>											
Alcorn	5	5,591	-	52	-	14	-	1	30	3	100
Benton	4	6,545	1	46	-	5	-	-	47	1	100
Calhoun	6	12,664	-	8	9	-	-	-	83	-	100
Chickasaw	4	8,450	-	70	-	-	-	-	26	4	100
De Soto 2/	7	11,456	-	33	9	1	-	-	56	1	100
Grenada 3/	3	6,303	-	62	8	-	-	-	30	-	100
Itawamba	4	4,713	-	62	-	6	-	-	32	-	100
Lafayette	3	5,306	-	48	-	2	-	-	50	-	100
Lee	7	9,924	-	45	6	10	-	-	37	2	100
Marshall	13	21,850	-	60	19	-	-	-	21	-	100
Monroe	10	19,407	-	60	6	-	-	-	32	2	100
Panola 2/	11	21,749	-	21	5	-	-	-	74	-	100
Pontotoc	6	10,841	-	51	-	1	-	-	48	-	100
Prentiss	8	6,451	-	59	-	12	-	-	17	12	100
Tate 3/	8	18,759	-	54	7	-	-	1	33	5	100
Tippah	6	10,405	-	54	14	3	-	1	24	4	100
Tishomingo	4	4,378	-	16	6	66	-	-	6	6	100
Union	3	4,744	-	34	-	6	-	-	60	-	100
Yalobusha	3	10,116	-	90	-	-	-	-	10	-	100
Total	115	199,652	*	48	6	4	-	*	40	2	100
Classing Office Total	378	593,087	4	37	6	16	1	4	28	4	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Greenwood Classing Office.

3/ A portion of this county is served by Greenwood Classing Office and is included in the data for "all other."

* Less than 0.5 percent.

Table 12. Hayti Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Auburn M	Delta-pine 16	Delta-pine 45A	Mo-Del	Rex Smooth Leaf	Stone-ville 7A	Stone-ville 213	Other <u>1/</u>	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Missouri:</u>											
Butler	5	3,602	1	3	-	2	-	6	84	4	100
Dunklin	30	61,449	18	37	1	3	3	4	31	3	100
Mississippi	11	5,752	5	20	3	2	3	24	23	20	100
New Madrid	30	46,796	4	8	3	2	12	8	57	6	100
Pemiscot	26	65,013	1	21	2	-	8	8	57	3	100
Scott	4	4,713	7	11	12	-	13	21	36	-	100
Stoddard	7	9,057	8	4	23	-	-	4	55	6	100
All other	1	663	10	12	-	-	12	12	25	29	100
Classing Office Total	114	197,045	8	22	3	2	7	7	48	3	100

1/ Includes small acreages planted to varieties other than those specified.

Table 13. Blytheville Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Brycot	Delta-pine 16	Delta-pine 45A	Rex	Rex Smooth Leaf	Stone-ville 7A	Stone-ville 213	Other <u>1/</u>	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Arkansas:</u>											
Clay <u>2/</u>	11	13,579	-	13	-	*	5	20	47	15	100
Craighead	28	63,997	-	21	-	1	1	22	52	3	100
Greene	12	20,617	-	6	-	1	10	21	56	6	100
Mississippi	56	165,520	2	16	2	2	2	38	31	7	100
Poinsett	23	72,434	-	26	6	-	1	29	36	2	100
Classing Office Total	130	336,147	1	18	2	1	2	31	38	7	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Little Rock Classing Office.

Table 14. Little Rock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Delfos 9169	Delta- pine 16	Delta- pine 45A	Dixie King II	Rex Smooth Leaf	Stone- ville 7A	Stone- ville 213	Other <u>1/</u>	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Arkansas:</u>											
Arkansas	5	5,922	-	35	21	-	-	4	34	6	100
Ashley	6	40,421	-	46	6	-	-	2	44	2	100
Chicot	9	39,267	-	46	-	-	-	-	52	2	100
Clay <u>2/</u>	6	6,315	-	7	-	4	-	60	18	11	100
Cross <u>3/</u>	15	20,072	-	34	-	-	28	-	27	11	100
Desha	14	45,216	-	12	-	-	-	-	87	1	100
Drew	4	10,163	-	50	-	-	-	20	30	-	100
Jackson	13	24,929	-	5	8	24	22	-	35	6	100
Jefferson	27	69,326	-	53	36	-	-	-	9	2	100
Lafayette	4	10,926	-	90	-	-	-	-	10	-	100
Lawrence	9	11,215	-	-	-	5	17	36	42	-	100
Lee	18	45,140	-	41	-	-	-	5	51	3	100
Lincoln	9	31,544	-	76	2	-	-	11	11	-	100
Lonoke	13	48,089	11	67	4	-	-	-	18	-	100
Miller	4	6,234	-	90	-	-	-	-	5	5	100
Monroe	11	30,392	-	52	28	-	2	-	14	4	100
Phillips	38	79,638	-	37	6	-	-	1	55	1	100
Pulaski	8	6,127	-	13	-	-	-	-	87	-	100
Randolph	4	5,433	-	5	-	10	-	-	50	35	100
St. Francis	24	41,261	-	29	1	-	-	-	67	3	100
White	6	2,152	-	24	1	-	26	-	40	9	100
Woodruff	11	25,247	-	49	-	-	1	-	46	4	100
Yell	3	3,983	-	8	12	-	-	-	79	1	100
All other	15	18,281	5	38	7	-	6	-	34	10	100
Classing Office Total	276	627,293	1	42	8	1	2	3	40	3	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Blytheville Classing Office.

3/ A portion of this county is served by Memphis Classing Office and is included in the data for "all other."

Table 15. Winnsboro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1969

State and Parish	Gins	1968 Ginnings	Delta-pine 16	Delta-pine 45A	Delta-pine Sm. Lf.	Stone-ville 7A	Stone-ville 213	---	---	---	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Louisiana:</u>											
Catahoula	4	17,637	17	3	1	1	78	-	-	-	100
Concordia	6	16,221	44	4	2	3	47	-	-	-	100
East Carroll	9	44,406	43	-	-	-	57	-	-	-	100
Franklin	16	73,316	46	1	-	-	53	-	-	-	100
Madison	4	15,141	42	5	9	-	44	-	-	-	100
Morehouse	7	47,213	68	8	-	-	24	-	-	-	100
Ouachita	4	19,238	56	37	-	-	7	-	-	-	100
Richland	14	63,155	54	1	13	1	31	-	-	-	100
Tensas	6	35,216	35	19	-	-	46	-	-	-	100
West Carroll	10	31,132	43	-	17	-	40	-	-	-	100
All other	2	12,737	40	-	-	-	60	-	-	-	100
Classing Office Total	82	375,412	47	6	4	*	43	-	-	-	100

* Less than 0.5 percent.

Table 16. Alexandria Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by parishes, crop of 1969

State and Parish	Gins	1968 Ginnings	Auburn 56	Delta-pine 15	Delta-pine 16	Delta-pine 45A	Delta-pine Sm. Lf.	Stone-ville 7A	Stone-ville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Louisiana:</u>											
Acadia	3	5,145	-	-	24	-	40	17	19	-	100
Avoyelles	9	18,987	-	-	31	37	2	3	27	-	100
Bossier	8	10,745	-	-	77	21	-	-	-	2	100
Caddo	12	34,382	2	3	87	-	-	4	2	2	100
Evangeline	7	4,113	-	-	45	20	24	-	11	-	100
Lafayette	6	5,010	-	-	44	2	12	2	40	-	100
Natchitoches	8	17,747	1	-	69	26	2	-	1	1	100
Rapides	12	33,297	-	-	37	40	-	3	20	-	100
Red River	4	7,143	-	-	73	23	4	-	-	-	100
St. Landry	17	22,101	-	-	27	19	14	17	23	-	100
All other	9	10,094	*	-	33	15	4	2	46	-	100
Classing Office Total	95	168,764	1	1	52	21	5	5	15	*	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 17. Altus Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Lankart 57	Lankart 611	Lankart 3840	Lockett 4789	Northern Star #5	Pay- master 111	Pay- master 202	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Oklahoma:</u>											
Beckham	12	28,062	57	-	20	1	-	-	9	13	100
Blaine	3	3,218	18	-	28	-	-	1	-	53	100
Caddo	14	18,678	70	-	8	2	-	19	-	1	100
Canadian	3	2,472	50	-	28	-	-	11	4	7	100
Comanche	3	1,309	53	-	5	8	-	7	-	27	100
Custer	4	10,242	81	-	13	-	-	-	4	2	100
Grady	5	6,744	82	-	12	-	-	3	-	3	100
Greer	7	14,932	75	-	3	1	-	-	-	21	100
Harmon	6	20,670	24	-	48	-	-	-	-	28	100
Jackson	12	31,545	39	-	5	4	-	2	-	50	100
Kiowa	8	20,852	86	-	3	1	-	1	-	9	100
Roger Mills	3	3,077	40	-	16	2	-	6	34	2	100
Tillman	12	32,708	67	-	9	24	-	-	-	-	100
Washita	10	32,405	63	-	16	2	-	-	8	11	100
All other	5	4,826	69	-	13	-	-	1	3	14	100
Total	107	231,740	61	-	14	5	-	2	3	15	100
<u>Texas:</u>											
Briscoe	7	12,837	7	-	7	-	-	50	28	8	100
Childress	4	28,553	34	3	2	22	19	-	-	20	100
Collingsworth	6	29,151	31	-	36	1	-	-	3	29	100
Cottle	6	23,839	63	-	7	4	-	-	17	9	100
Donley	3	8,315	-	-	-	-	-	20	5	75	100
Foard	3	5,489	32	-	8	-	2	-	-	58	100
Hall	13	61,740	24	14	6	-	8	4	9	35	100
Hardeman	5	14,314	66	-	10	16	-	-	-	8	100
Motley	4	14,456	10	22	-	2	12	3	11	40	100
Wheeler	7	11,061	28	-	5	5	3	15	11	33	100
Wilbarger	9	25,290	14	-	26	28	4	1	-	27	100
All other	4	11,283	66	-	1	13	7	-	2	11	100
Total	71	246,328	32	5	11	8	6	5	7	26	100
Classing Office Total	178	478,068	45	3	12	6	3	4	5	22	100

1/ Includes small acreages planted to varieties other than those specified.

Table 18. Dallas Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Delta-pine 16	Lankart 57	Lankart 611	Lankart 3840	Lockett 4789	Northern Star #5	Pay-master 202	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
Bowie	3	4,276	88	-	-	-	-	-	-	12	100
Collin	18	36,410	-	94	1	2	-	-	-	3	100
Delta	5	10,611	-	97	-	-	2	-	-	1	100
Ellis	24	54,816	-	95	1	2	2	-	-	-	100
Fannin	13	13,043	-	79	7	7	4	1	-	2	100
Grayson	6	8,099	-	87	-	11	2	-	-	-	100
Hill	18	46,980	-	99	-	-	-	-	-	1	100
Hunt	10	21,867	-	94	-	3	1	1	-	1	100
Johnson	6	11,167	-	99	-	-	-	-	-	1	100
Kaufman	6	11,974	-	96	-	2	-	-	-	2	100
Lamar	9	10,662	-	83	5	3	-	-	-	9	100
Navarro	10	23,603	-	92	-	-	7	-	-	1	100
Red River	3	2,967	-	2	20	-	2	72	-	4	100
Rockwall	5	7,847	-	87	1	4	6	2	-	-	100
Tarrant	3	4,759	-	74	22	-	-	-	-	4	100
All other	18	20,037	-	76	21	1	-	-	-	2	100
Total	157	289,118	1	90	3	2	2	1	-	1	100
<u>Oklahoma:</u>											
Muskogee	4	4,658	83	2	-	-	-	-	-	15	100
All other	24	23,501	2	28	18	-	9	4	11	28	100
Total	28	28,159	16	24	15	-	7	3	9	26	100
Classing Office Total	185	317,277	3	84	4	2	2	1	1	3	100

1/ Includes small acreages planted to varieties other than those specified.

Table 19. Austin Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Anton 99	Delta-pine 16	Delta-pine Sm. Lf.	Lankart 57	Lockett 4789	Stone-ville 7A	Stone-ville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:											
Austin	9	3,568	7	7	9	10	1	25	34	7	100
Bell	12	16,003	-	-	-	93	-	-	-	7	100
Brazoria	5	5,429	-	24	60	-	-	12	-	4	100
Brazos	5	19,427	-	96	-	-	-	-	3	1	100
Burleson	7	12,105	1	9	20	3	-	-	64	3	100
Caldwell	3	4,608	49	-	-	10	-	-	-	41	100
Colorado	3	3,111	7	4	8	12	-	32	29	8	100
Coryell	3	4,348	-	-	-	93	2	-	-	5	100
Falls	9	9,603	-	2	2	84	3	-	4	5	100
Fayette	4	1,637	9	-	-	74	12	-	-	5	100
Fort Bend	16	21,245	-	18	31	-	-	20	25	6	100
Grimes	3	821	-	6	18	26	-	-	4	46	100
Guadalupe	4	3,609	9	-	-	81	5	-	-	5	100
Houston	3	5,911	-	-	-	1	-	64	18	17	100
Lavaca	5	2,083	6	-	-	89	-	-	-	5	100
McCulloch	4	5,025	-	-	-	22	-	-	-	78	100
McLennan	14	25,217	1	-	-	84	3	-	-	12	100
Milam	8	13,520	-	-	-	75	8	-	-	17	100
Robertson	5	28,322	-	31	6	-	-	-	61	2	100
Travis	5	6,817	7	-	-	72	10	-	-	11	100
Washington	5	2,095	7	-	12	27	-	13	36	5	100
Williamson	27	56,514	1	-	-	76	6	-	-	17	100
Zavala	3	6,393	-	23	69	-	-	-	-	8	100
All other	22	19,765	2	34	2	45	1	-	-	16	100
Classing Office Total	184	277,176	2	16	7	46	2	4	13	10	100

1/ Includes small acreages planted to varieties other than those specified.

Table 20. Corpus Christi Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Delta-pine 16	Delta-pine Sm. Lf.	Lankart 611	Lankart 3840	Stone-ville 7A	Stone-ville 213	TPSA 110	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
Texas:											
Calhoun	5	3,036	46	22	-	-	8	17	5	2	100
Jackson	5	3,170	1	68	-	-	24	2	-	5	100
Jim Wells	4	6,989	-	-	35	9	-	13	3	40	100
Karnes	5	1,836	-	-	20	1	-	-	-	79	100
Matagorda	7	5,848	17	66	-	-	11	4	-	2	100
Nueces	24	53,783	-	4	8	5	32	26	7	18	100
Refugio	4	2,324	-	-	7	9	20	48	12	4	100
San Patricio	18	36,806	-	1	37	4	42	8	6	2	100
Victoria	8	4,024	9	-	-	10	17	15	17	32	100
Wharton	19	33,615	8	16	-	-	62	2	2	10	100
All other	7	8,168	8	5	19	13	20	16	6	13	100
Classing Office Total	106	159,599	4	10	15	4	37	15	5	10	100

1/ Includes small acreages planted to varieties other than those specified.

Table 21. Harlingen Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Delta-pine 16	Lankart	Lockett 4789	Stone-ville 7A	Stone-ville 213	TPSA 110	Other 1/	---	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
Cameron	29	94,661	7	-	-	63	19	7	4	-	100
Hidalgo	26	99,039	1	1	1	63	23	8	3	-	100
Willacy	11	47,962	2	-	1	64	26	7	-	-	100
All other	2	3,938	-	11	8	-	78	-	3	-	100
Classing Office Total	68	245,600	3	1	1	63	23	7	2	-	100

1/ Includes small acreages planted to varieties other than those specified.

Table 22. Abilene Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Lankart 57	Lankart 611	Lankart 3840	Lockett 4789	Lockett 4789A	Pay-master 202	Western Storm-proof	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
Baylor	3	8,647	64	-	21	-	-	-	6	9	100
Coleman	4	6,428	66	-	-	-	15	-	9	10	100
Dickens 2/	5	19,233	67	20	3	3	-	1	-	6	100
Fisher	8	47,771	34	-	3	4	-	21	25	13	100
Haskell	12	59,822	68	-	19	-	-	-	-	13	100
Howard 3/	9	39,680	-	-	-	8	22	2	50	18	100
Jones	16	67,160	57	24	13	-	-	-	3	3	100
Knox	8	21,919	21	-	29	6	-	-	-	44	100
Martin 3/	7	46,875	-	-	-	24	-	-	52	24	100
Midland	3	13,916	11	-	7	33	-	-	35	14	100
Mitchell	7	28,100	3	3	22	16	9	-	34	13	100
Nolan	6	26,286	-	-	-	-	-	19	76	5	100
Runnels	12	53,370	63	15	11	4	-	-	2	5	100
Scurry 2/	7	38,797	3	6	1	9	-	7	32	42	100
Taylor	5	10,482	75	9	8	4	-	-	1	3	100
Tom Green	7	38,364	70	5	17	6	-	-	-	2	100
All other	12	33,918	59	18	13	3	-	1	5	1	100
Classing Office Total	131	560,768	39	7	10	7	2	3	20	12	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Lubbock Classing Office and is included in the data for "all other."

3/ A portion of this county is served by Lubbock Classing Office.

Table 23. Lubbock Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Dunn 56C	Lankart 57	Lockett 4789A	Pay- master 111	Pay- master 202	Rilcot 90	Stripper 31	Other 1/	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Texas:</u>											
Bailey	20	72,091	28	-	3	13	5	14	18	19	100
Castro	15	25,717	2	2	-	11	36	9	10	30	100
Cochran	14	43,755	24	1	-	27	2	34	-	12	100
Crosby	20	74,381	32	5	-	30	4	-	2	27	100
Dawson	25	176,067	24	1	7	29	-	-	-	39	100
Floyd	21	40,502	47	3	-	39	-	-	3	8	100
Gaines	18	77,488	26	6	-	32	1	2	1	32	100
Garza	6	21,717	-	18	18	30	14	-	-	20	100
Hale	35	68,297	11	2	-	38	5	4	11	29	100
Hockley	34	168,808	21	3	9	37	3	4	3	20	100
Howard 2/	3	10,961	-	-	15	-	-	-	-	85	100
Lamb	33	106,707	13	-	-	13	18	11	18	27	100
Lubbock	40	180,765	11	1	-	38	2	-	7	41	100
Lynn	24	172,311	10	11	18	17	2	-	-	42	100
Martin 2/	4	30,589	-	-	83	2	5	-	-	10	100
Parmer	16	36,990	6	-	-	32	3	25	1	33	100
Swisher	13	11,875	6	-	-	23	9	-	46	16	100
Terry	21	117,615	10	9	-	60	3	-	1	17	100
Yoakum	9	37,309	11	1	-	33	-	1	-	54	100
All other	5	21,557	13	8	-	29	13	1	1	35	100
Total	376	1,495,502	18	4	6	31	4	4	5	28	100
<u>New Mexico:</u>											
Roosevelt	5	7,260	-	4	-	12	28	9	2	45	100
All other	1	1,705	10	-	-	10	-	40	15	25	100
Total	6	8,965	2	3	-	11	22	15	5	42	100
Classing Office Total	382	1,504,467	17	4	6	30	5	4	5	29	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by Abilene Classing Office.

Table 24. El Paso Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Acala 1517C	Acala 1517D	Acala 1517V	Acala 1517 Stroman Select #3	Delta-pine 16	Hopi-cala	Stone-ville 213	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>Texas:</u>											
El Paso	11	43,318	42	17	33	-	1	6	1	*	100
Hudspeth	3	12,059	64	7	3	-	10	9	-	7	100
All other	3	7,951	33	-	25	-	28	4	2	8	100
Total	17	63,328	45	13	26	-	6	6	1	3	100
<u>New Mexico:</u>											
Dona Ana	13	41,450	8	7	61	5	-	18	-	1	100
Luna	5	17,786	5	20	69	-	2	3	-	1	100
All other	4	7,712	27	21	45	-	4	-	-	3	100
Total	22	66,948	9	12	61	3	1	12	-	2	100
<u>Arizona:</u>											
Cochise	6	17,240	22	64	6	-	2	1	2	3	100
All other	3	15,267	29	45	-	-	-	26	-	-	100
Total	9	32,507	26	55	3	-	1	13	1	1	100
<u>Classing Office Total</u>											
	48	162,783	27	21	36	1	3	10	1	1	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 25. Carlsbad Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Acala 1517BR1	Acala 1517BR2	Acala 1517C	Acala 1517D	Acala 1517V	Delta-pine 16	Hopi-cala	Other 1/	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>New Mexico:</u>											
Chaves	8	30,381	-	-	37	25	32	2	2	2	100
Eddy	8	34,504	*	17	17	10	51	-	3	2	100
Lea	7	17,341	-	50	-	-	2	1	-	47	100
All other	1	233	-	-	-	-	-	-	-	-	-
Total	24	82,459	*	18	21	14	33	1	2	11	100
<u>Texas:</u>											
Glasscock	3	15,088	44	16	-	-	-	-	-	40	100
Pecos	7	26,930	-	-	89	-	2	6	-	3	100
Reeves	11	64,527	-	*	78	3	4	4	7	4	100
All other	1	2,174	-	10	-	-	-	-	-	90	100
Total	22	108,719	6	3	68	2	3	4	4	10	100
<u>Classing Office Total</u>											
	46	191,178	4	9	48	7	16	3	3	10	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 26. Phoenix Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Del Cerro	Delta-pine 16	Delta-pine 5826	Delta-pine Sm. Lf.	Hopi-cala	Stone-ville 7A	Stone-ville 213	Other <u>1/</u>	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>Arizona:</u>											
Maricopa	42	279,258	4	93	3	*	*	-	*	-	100
Pima	7	31,857	-	84	-	-	11	1	4	-	100
Pinal	39	233,664	-	90	-	3	1	2	2	2	100
Yuma <u>2/</u>	4	32,828	-	95	-	-	5	-	-	-	100
Classing Office Total	92	577,607	2	91	1	1	1	1	1	2	100

1/ Includes small acreages planted to varieties other than those specified.

2/ A portion of this county is served by El Centro Classing Office.

* Less than 0.5 percent.

Table 27. Fresno Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Acala 4-42	Acala SJ-1	---	---	---	---	---	---	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>California:</u>											
Fresno	74	403,732	2	98	-	-	-	-	-	-	100
Kings <u>1/</u>	8	48,224	5	95	-	-	-	-	-	-	100
Madera	13	67,525	*	100	-	-	-	-	-	-	100
Merced	10	63,398	1	99	-	-	-	-	-	-	100
Tulare <u>1/</u>	9	47,486	19	81	-	-	-	-	-	-	100
Classing Office Total	114	630,365	3	97	-	-	-	-	-	-	100

1/ A portion of this county is served by Bakersfield Classing Office.

* Less than 0.5 percent.

Table 28. Bakersfield Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Acala 4-42	Acala 1517C	Acala 1517D	Acala 1517V	Acala SJ-1	Stone-ville 213	---	---	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>California:</u>											
Kern	58	434,618	6	-	-	-	94	-	-	-	100
Kings <u>1/</u>	12	160,085	1	-	-	-	99	-	-	-	100
Tulare <u>1/</u>	29	188,970	4	-	-	-	96	-	-	-	100
Total	99	783,673	4	-	-	-	96	-	-	-	100
<u>Nevada:</u>											
Total	1	4,115	-	6	1	25	65	3	-	-	100
Classing Office Total	100	787,788	4	*	*	*	96	*	-	-	100

1/ A portion of this county is served by Fresno Classing Office.

* Less than 0.5 percent.

Table 29. El Centro Classing Office: Estimated percentage of cotton acreage planted to specified varieties, by counties, crop of 1969

State and County	Gins	1968 Ginnings	Delta-pine 16	Delta-pine 5826	Delta-pine Sm. Lf.	Imperial Acala	Stone-ville 213	Stone-ville 508	---	---	Total
	No.	Bales	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
<u>California:</u>											
Imperial	18	123,613	88	-	10	*	-	2	-	-	100
Riverside	7	55,944	99	-	-	-	*	1	-	-	100
Total	25	179,557	91	-	7	*	*	2	-	-	100
<u>Arizona:</u>											
Yuma <u>1/</u>	10	70,766	91	1	8	-	-	-	-	-	100
Total	10	70,766	91	1	8	-	-	-	-	-	100
Classing Office Total	35	250,323	91	1	7	*	*	1	-	-	100

1/ A portion of this county is served by Phoenix Classing Office.

* Less than 0.5 percent.

Table 30. Estimated percentage of American Egyptian cotton acreage planted to specified varieties, by states, 1965-1969

State and Year	A E ginnings	Pima S-1	Pima S-2	Pima S-3	Pima S-4	Pima Stroman Select	Other 1/	Total
	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
Arizona								
1965	44,833	5	95	-	-	-	-	100
1966	36,176	3	95	1	1	-	-	100
1967	34,416	1	53	9	37	-	-	100
1968	44,267	-	18	9	73	-	-	100
1969	-	-	5	9	86	-	-	100
California								
1965	910	-	100	-	-	-	-	100
1966	585	-	100	-	-	-	-	100
1967	402	-	80	-	20	-	-	100
1968	785	-	-	-	100	-	-	100
1969	-	-	-	-	100	-	-	100
New Mexico								
1965	8,437	45	51	-	-	2	2	100
1966	8,639	34	57	3	-	6	-	100
1967	6,521	19	46	20	-	15	-	100
1968	6,703	11	41	37	4	6	1	100
1969	-	1	41	42	14	2	-	100
Texas								
1965	31,404	31	66	-	-	-	3	100
1966	25,754	29	66	5	-	-	-	100
1967	26,983	14	63	23	-	-	-	100
1968	26,427	6	62	23	8	-	1	100
1969	-	2	45	29	24	-	-	100
United States								
1965	85,584	21	78	-	-	*	1	100
1966	71,154	16	80	2	1	1	-	100
1967	68,322	8	56	15	19	2	*	100
1968	78,182	3	38	17	41	1	*	100
1969	-	1	22	19	58	*	-	100

1/ Includes small acreages planted to varieties other than those specified.

* Less than 0.5 percent.

Table 31. Estimated percentage of American Egyptian cotton acreage planted to specified varieties, by classing office territories, crop of 1969

Classing office territory and County	Gins	1968 A E ginnings	Pima S-1	Pima S-2	Pima S-3	Pima S-4	Stroman Select Pima S-2	Total
	<u>No.</u>	<u>Bales</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>	<u>Pct.</u>
<u>El Centro territory</u>								
<u>California:</u>								
Riverside	1	785	-	-	-	100	-	100
Total	1	785	-	-	-	100	-	100
<u>El Paso territory</u>								
<u>Arizona:</u>								
Graham	2	9,699	-	15	42	43	-	100
<u>New Mexico:</u>								
Dona Ana	6	6,703	1	41	42	14	2	100
<u>Texas:</u>								
El Paso	9	20,258	2	35	35	28	-	100
Hudspeth	2	598	-	17	50	33	-	100
Total	19	37,258	2	31	38	29	*	100
<u>Carlsbad territory</u>								
<u>Texas:</u>								
Reeves	2	5,571	-	85	5	10	-	100
Total	2	5,571	-	85	5	10	-	100
<u>Phoenix territory</u>								
<u>Arizona:</u>								
Maricopa	7	19,987	-	-	-	100	-	100
Pima	3	5,088	-	14	-	86	-	100
Pinal	5	9,493	-	-	-	100	-	100
Total	15	34,568	-	2	-	98	-	100

* Less than 0.5 percent.

NATIONAL AGRICULTURAL LIBRARY



1022919553

